


High-density corrugated conduit flame retardant stock available



Overview

The black polyamide (PA6) corrugated conduit with UL94 V0 flame-retardant rating is engineered for environments where fire safety is crucial, such as marine, yachting, defense, railway, and other sensitive industries. Here you can find all suitable accessories or conduits. Please log in with your HellermannTyton account to use your personal watchlist. Metal conduits from HellermannTyton: Standard metal conduits, coated metal conduits, liquid tight. Our flexible corrugated industrial conduit made of PP with fire protection comes exclusively from German premium manufacturers and is used in particular in vehicle construction, mechanical engineering and plant construction. It's ideal for pulls under 1000 ft. When tested to UL 2024/UL 910 (CSA FT-6), Dura-Line's Corrugated Plenum is low-smoke producing and fire resistant as defined by the National Fire Protection. Halogen, sulphur, and phosphorus free. High impact strength and recovers if crushed. For use with all types of equipment, machinery, pumps, motors, and HVAC equipment.

Article Content

Non-Metallic Conduits HG-FR13 (166-11401)

Whether thin- or thick-walled, enclosed or slit: Find now the right corrugated

Corrugated Conduit: The Definitive Guide 2025

Corrugated conduit, also referred to as flexible conduit or flexible tubing, is a specially designed protective tubing with a ribbed, corrugated exterior

Corrugated Conduits | Flame Retardant Corrugated

Thermoplastic -5°C +90°C FLAME RETARDANT CORRUGATED CONDUIT Self-extinguishable White Flexible corrugated conduit with steel wire Halogen-Free

Non-Metallic Conduits HG-FR54 (166-11407)

Whether thin- or thick-walled, enclosed or slit: Find now the right corrugated tubing, including matching fitting and holder.

Flame Retardant Polypropylene (V2 Equivalent) | Drossbach

Flame Retardant Polypropylene Conduit is used for wire & cable protection and organization. Also known as split loom, convoluted tubing, corrugated tubing, ribbed tubing and flex tubing, it is black

Electrical conduit | For safe installations

High availability: We offer fast deliveries directly from stock - ideal for time-critical projects. Comprehensive advice: Our experts support you in selecting the right electrical conduit for your project.

Wire conduits, cable conduits, cable protection

From excellent flexibility, to high flame-retardant properties to exceptional mechanical protection, thick-walled or thin-walled, HellermannTyton guarantees

Halogen-Free Electrical Conduits | Pipelife

WALL BOXES Our sleek halogen-free wall boxes facilitate seamless electrical installations with a universal inlet that enables integration across a range of

N.R.Engineering | Conduits & HDPE

EFLEX/EFLEX-FR corrugated high density polyethylene / with flame retardant respectively Pipe, EFLEX has several times as much flattening strength as

Cabflx Low Fire Nylon Conduit 25mm x 10m

Non-metallic liquid tight conduit made from halogen free PA6 nylon, low fire hazard UL94 V-2 Halogen, phosphor and cadmium free, UV resistant Temperature

Flexible Plastic Conduit PA PA6 PA12 Nylon Pipe

Discover the ultimate in High-Performance PA Nylon Plastic Bellows: a Waterproof, Flame Retardant Cable Protective Tube Sleeve meticulously designed for Auto

Corrugated pipes suitable for fire protection from E-M-C-Direct

Our flexible corrugated industrial conduit made of PP with fire protection comes exclusively from German premium manufacturers and is used in particular in vehicle construction, mechanical engineering and

Polyamide Conduit Flame Retardant V0 Black | Fleksan

The black polyamide (PA6) corrugated conduit with UL94 V0 flame-retardant rating is engineered for environments where fire safety is crucial, such as marine, yachting, defense, railway, and other

China High Quality Fire Resistant Flame Retardant Flexible Plastic ...

China High Quality Fire Resistant Flame Retardant Flexible Plastic Corrugated Pipes, Find Details and Price about Corrugated Conduit and Corrugated Tube from DONG GUAN FUYUXUAN

Carlton® High Density Polyethylene (HDPE) Conduit

Carlton® is a leading manufacturer of High Density Polyethylene (HDPE) pipe, duct, and conduit products used to house and protect fiber optic and metal cable in the Telecommunications, CATV,

V0 Flame Retardant Corrugated Plastic Conduit

V0 Flame Retardant Corrugated Plastic Conduit MATERIAL : POLYAMIDE 6 STANDARD : EN 61386 PROTECTION CLASS : IP66 / IP67 / IP68 OPERATING TEMPERATURE : -40C / +120C (

Specialty | Dura-Line

Riser rated fire retardant corrugated duct are designed to protect existing cables and facilitate future cable installation or replacement. When tested to UL2024/UL910

Corrugated - Innerduct

Premier Corrugated HDPE is manufactured from High Density Polyethylene (HDPE) and is intended to be placed inside of existing innerduct. It's ideal for pulls under 1000 ft. and is designed to reduce

Specialty | Dura-Line

Our popular HDPE duct with a smooth outer wall and internal longitudinal ribs for a reduced coefficient of friction. Plenum rated fire retardant corrugated duct are

China Flame Retardant Corrugated Polypropylene

Introduction of Polypropylene Tubing The material of tubing is polypropylene pp. Polypropylene conduit has the characteristics of high hardness, heavy pressure

Heyco® Nylon Corrugated Conduit/Tubing – HPAS Series

Part number and specification ... Standard color black. Slit version options also available.

Fire resistant pvc conduit, flexible corrugated tube

Fire resistant pvc conduit, flexible corrugated tube conduit for fire resistant, Fire Resistant Pvc Pipe, Highly Reliable Low Smoke Flame Retardant Conduits,

High Density Polyethylene Duct On American Wire Group

ASTM D3485: Smooth-Wall Coilable Polyethylene Conduit for Pre-assembled Wire and Cable. ASTM F2160: Standard Specifications for Solid Wall High Density

HDPE Standard | Dura-Line

Our popular HDPE duct with a smooth outer wall and internal longitudinal ribs for a reduced coefficient of friction. Corrugated conduit is made from HDPE and works

Non-Metallic Conduits HG-FR10 (166-11400)

166-11400 - Highly flame retardant (UL94 V0) Low smoke, low toxicity Very flexible and high fatigue life High impact strength, recovers if crushed Abrasion resistant Highly resistant to solvents and oils Free

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://araziyahsafety.co.za>

Email: info@araziyahsafety.co.za

Phone: +27 72 418 3692

Address: 123 Rivonia Road, Sandton, Johannesburg, 2196, South Africa

This document is for informational purposes only. Specifications subject to change without notice.

